

c from alkyl or alkenyl with ^{up}~~n~~ to 6 carbon atoms, hydroxyl, alkoxy or alkylmercapto with 1 to 3 carbon atoms, alkoxy-carbonyl with 1 to 4 carbon atoms in the alcohol part, and mono- or bi-cyclic carbocyclic aryl, [and wherein said ring formed by R¹ and R² can furthermore possess a double bond,]

and in which

R⁴ represents a hydrogen, or an unsubstituted branched or straight-chain alkyl group which has up to 6 carbon atoms or a branched or straight-chain alkyl which has up to 6 carbon atoms which is substituted by radicals(s) selected from hydroxyl, alkoxy, alkylmercapto or dialkyl-amino with 1 to 3 carbon atoms per alkyl radical, and alkoxy-carbonyl with 1 to 4 carbon atoms in the alcohol part, or represents an ^{Phenylalkyl}~~aralkyl~~ group which has up to 4 carbon atoms in the aliphatic part, or an optionally substituted phenyl or naphthyl group or [,] pyridine, pyrimidine, thiazole or benzothiazole, or

c R⁴ denotes an alkoxy-carbonyl group which is optionally substituted by a mono- or bi-cyclic carbocyclic aryl radical and has 1 to 4 carbon atoms in the alcohol part, ^a~~n~~ an alkanoyl radical with 1 to 6 carbon atoms, [an aroyl] a benzoyl or naphthoyl radical, an [optionally substituted] alkyl-, phenyl- or naphthyl [or aryl]-(thio) carbamoyl radical, an alkyl-[or aryl], phenyl- or naphthyl-sulphonyl radical or an [optionally substituted] aminosulphonyl radical. --